



**Battery Strapping Tool
13 mm - 16 mm PP & PET strap**



OMS24

OMS24 is the most versatile and reliable **battery-powered strapping tool**, designed for 13 mm and 16 mm PP and PET straps.

Lightweight, well-balanced, and ergonomic, the **OMS24** can be easily operated with one hand and offers three working modes: **fully automatic, semi-automatic, and manual**.

Equipped with **two brushless motors**, the **OMS24** ensures **low maintenance, high speed, and enhanced electronic control**.

Its **high-capacity lithium-ion battery** delivers a large number of duty cycles per charge, with no memory effect.

The **friction weld sealing technology**, guarantees strong and efficient seals without the need for additional materials.

Thanks to its flexibility, the tool is suitable for a wide range of industries, from **timber** and **cardboard** to **steel, logistics, bricks**, and many other strapping applications.



FEATURES

- 3 Operating modes: Automatic/ Semi Automatic/Manual
- Easy-to-use
- Digital control panel
- Brushless motor technology

BENEFITS

- Wide range of straps & adjustable tension
- Lightweight and well balanced
- One hand operating tools
- Strong and well protected motor housing
- Easy access to wearing parts



TECHNICAL SPECIFICATIONS

Dimensions	340 x 150 x 160 mm
Weight (with battery)	4,5 kg

STRAP

Strap Type	PP and PET strap (smooth/embossed)
Width	13 mm / 16 mm
Thickness	0,5 mm - 1,05 mm

POWER SUPPLY

Battery	Li-Ion 18V - 5Ah
----------------	------------------

PERFORMANCE

Tension force	300 N - 2500 N
Tensioning speed	10 ÷ 16 mt/min
Sealing	friction weld seal
Joint strength	75% of breaking strength (variable according to strap type)

MODEL

CODE	DESCRIPTION
T2499971-18V	OMS24 + 1 battery + 1 battery charger
T2499972-18V	OMS24 + 2 batteries + 1 battery charger
T2499973-18V	OMS24 + 3 batteries + 1 battery charger

DETAILS



www.oms-group.com
info@oms-group.com

